



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS

पश्चिम क्षेत्रीय कार्यालय : 'मानकालय', ई-9, एम.आय.डी.सी., रोड नं. 8, अंधेरी (पूर्व), मुंबई - 400 093.

Western Regional Office : 'Manakalaya', E-9, M. I. D. C., Road No. 8, Andheri (E), Mumbai - 400 093.

दूरभाष
Phones

2832 7858
2832 7891
2832 7892
2832 9295
2823 5681
2823 5682

फैक्स

Fax

वेबसाईट

Website

+91 022 2836 4820

+91 022 2837 4231 (Sales Dept.)

www.bis.org.in

तार

Grams

ई-मेल

e-mail

मानकसंस्था

Manaksanstha

wro@bis.org.in

BY SPEED POST

Our Ref: WROL/ OSL (7124016)

20 May 2015

M/s Food Hygiene & Health Laboratory
A-512/513, Megacenter
Hadapsar
Pune – 411028

Sub: Renewal of Recognition of your lab under BIS Lab Recognition Scheme

Dear Sirs,

With reference to your application seeking renewal of recognition of your laboratory by BIS and the subsequent assessment(s) / correspondences made in this regard, we are pleased to inform you that as decided by the Competent Authority the recognition of your lab operating at the address "A-512/513, Megacenter, Hadapsar, Pune – 411028" has been renewed for a period of three years from **12 Dec 2014 to 11 Dec 2017** and the recognized scope of your lab is given as **Annex-1**.

The testing charges for product as per relevant Indian Standards, for which your laboratory is recognized, are indicated against each Indian Standard in **Annex-1** and shall be valid for a period of three years effective from **12 Dec 2014**.

The recognition which is valid till **11 Dec 2017** shall stand automatically withdrawn unless renewed further subject to satisfactory performance of your laboratory based on periodic review / surveillance by BIS. The recognition shall also stand withdrawn if renewal is not sought by your laboratory in advance of the expiry date along-with the prescribed fee. In this connection, you may kindly go through BIS Lab Recognition Scheme 2013 available at BIS website www.bis.org.in.

It may be noted that recognition is subject to terms & conditions laid down in BIS Lab Recognition Scheme from time to time. In case your laboratory is found violating any of the provisions of the Scheme or the undertaking given by you, the recognition of your laboratory may be suspended or your lab may be derecognized by BIS.

Also Please note that this recognition does not bind BIS to make use of the facilities available in your laboratory; your services will be made use of as and when required, at the discretion of BIS.

Thanking you.

Yours faithfully,

(Seema Sinha)
Sc 'D' & OIC (LRS)

Encl: as above

OSL CODE 7124016

CONTACT :

Dr. Abhay Desai, Director
[9822051749, 9881237321]

NAME Food Hygiene & Health Laboratory

TELEPHONE:

020-26890347

ADDRESS A-512/513, Megacentre,

FAX:

020-26890197

Hadapsar

E-mail

foodwatertestlab1@gmail.com

Pune 411028

REMARKS

IS Number	Product	Testing Charge	Remark
1 IS 13428 : 2005	PACKAGED NATURAL MINERAL WATER	Rs. 12000/-	Except radioactive residue
2 IS 14543 : 2004	PACKAGED DRINKING WATER(OTHER THAN PACKAGED NATURAL MINERAL WATER)	Rs. 12000/-	Except radioactive residue

Abhay Desai
20.5.15